

APPLICATION FOR UNITED STATES LETTERS PATENT

INVENTORS: Jai Chul KIM

TITLE: MOBILE TELEPHONE BODY

ATTORNEYS: FLESHNER & KIM, LLP  
& P. O. Box 221200  
ADDRESS: Chantilly, VA 20153-1200

DOCKET NO.: HI-0038

0303222560

# MOBILE TELEPHONE BODY

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

[1] The present invention relates to mobile telephones.

### 2. Background of the Related Art

[2] Generally, a mobile telephone is a mobile communication device capable of conducting voice communications through a wireless transmission via a relay station. The types of telephone cases housing the telephone circuitry can be mainly classified by the type of cover over the bottom portion of the telephone. The bottom covers include a bar type cover, a flip type cover and a sliding lid type cover based on the means provided for covering and exposing the buttons for operating the telephone.

[3] A bar type cover telephone is shown in Figure 1, and is constructed such that a button portion 12 of a telephone body 10 is permanently exposed without an additional flip or lid to cover the bottom portion when the telephone is not in use. The flip type cover is constructed such that the button portion 12 of the telephone body can be selectively covered or exposed for use by opening and closing of a flip cover 14 pivotally attached to the telephone body 10, as shown in Figure 2. The sliding lid type cover 16 is shown in Figure 3 and is constructed such that the button portion 12 can be

selectively covered or exposed for use by opening and closing a sliding lid type cover 16 attached to the telephone body 10 in a manner that allows the sliding lid type cover 16 to slide.

[4] The bar type cover 12 provides a mobile telephone which can be conveniently used without an additional step by the user for exposing the button portion 12. The flip and sliding lid type covers 14 and 16, respectively, have the advantage that an accidental operation of the mobile telephone when it is not in use can be prevented by covering the button portion 12 with the flip type cover 14 or the sliding lid type cover 16. Therefore, the mobile telephones in accordance with the related art require a user to select the type of mobile telephone according to his/her preference at the time of purchases with no way to alter the type at a later time. Thus, the related art mobile telephone has a problem that it is impossible to change the manner of covering and exposing the button portion, and the user is unable to take advantage of the characteristics of the different types of mobile telephones in a single unit. An additional problem with the related art mobile telephone is that the user quickly becomes bored with the type of his/her mobile telephone after a while.

### SUMMARY OF THE INVENTION

[5] An object of the invention is to solve at least the above problems and/or disadvantages and to provide at least the advantages described hereinafter.

[6] In order to solve at least the above-mentioned problems in whole or in part, an object of the invention is to provide a mobile telephone wherein it is possible to change the manner of covering and exposing the button portion thereof so that a user can take advantage of the characteristics of the respective types of mobile telephone types.

[7] Another object of the invention is to provide an alternative mobile telephone body wherein the user does not also easily get bored of continuously using the same type of mobile telephone.

[8] Another object of the invention is to provide a mobile telephone which includes a telephone body provided with a button portion and an interchangeable button cover detachably coupled to the telephone body so that a covering structure for covering and exposing the button portion can be selectively changed into a bar type cover, a flip type cover or a sliding lid type cover.

[9] Another object of the invention is to provide a mobile telephone in which a manner of exposing a button portion can be selectively changed.

[10] Another object of the invention is to provide an interchangeable button cover which may include a bar unit having a frame mounted on the telephone body so as to enclose the button portion and keypads provided on one side of the frame and interlocked with key buttons of the button portion. The interchangeable button cover may also include a flip unit having a frame attached to the telephone body and a flip type cover hingedly connected to the frame for exposing the button portion by means of a

pivoting operation thereof. Alternatively, the interchangeable button cover may include a sliding unit having a frame detachably attached to the telephone body and a sliding lid type cover connected to the frame in a manner that allows the sliding lid type cover to slide for exposing the button portion of the mobile telephone.

[11] Additional advantages, objects, and features of the invention will be set forth in part in the description which follows and in part will become apparent to those having ordinary skill in the art upon examination of the following or may be learned from practice of the invention. The objects and advantages of the invention may be realized and attained as particularly pointed out in the appended claims.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

[12] The invention will be described in detail with reference to the following drawings in which like reference numerals refer to like elements wherein:

[13] Figure 1 is a perspective view showing of a conventional bar-type mobile telephone.

[14] Figure 2 is a perspective view showing a conventional flip-type mobile telephone.

[15] Figure 3 is a perspective view showing a conventional sliding lid-type mobile telephone.

[16] Figure 4 is a perspective view showing the telephone body of a mobile telephone according to a preferred embodiment of the invention.

[17] Figures 5 (a), (b) and (c) are perspective views showing respective covers for including on the mobile telephone according to a preferred embodiment of the invention.

[18] Figures 6 (a), (b) and (c) are perspective views showing assembled examples of the telephone body and the respective covers of the mobile telephone according to a preferred embodiment of the invention.

#### **DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS**

[19] A mobile telephone according to a preferred embodiment of the invention is shown in Figure 4 and includes a telephone body 20 provided with a button portion 22, and interchangeable button covers detachably coupled to the telephone body 20. The interchangeable button covers are structures for protecting and/or exposing the button portion 22 of the telephone body 20. The interchangeable button covers are interchangeable structures which can be attached to and removed from the mobile telephone and includes a bar type cover, a flip type cover, and a sliding lid type cover. The interchangeable button cover may include a bar unit 30 as shown in Figure 5(a) for providing the bar-type cover for a mobile telephone, a flip unit 40 as shown in Figure 5(b) for providing the flip-type cover for mobile telephone, or a sliding unit 50 as shown in Figure 5(c) for providing the sliding lid-type cover for a mobile telephone.

[20] The bar unit 30 of Figure 5(a) and 6(a) includes a frame 32 for mounting on the telephone body 20 of Figure 4. The frame 32 encloses the button portion 22 and the keypads 34 provided on one side of the frame 32 and interlocked with the key buttons 221 of the button portion 22. The keypads 34 are made of an elastic material. A user can press the key buttons 221 of the button portion 22 through the elastic material of the keypads 34 of the bar unit 30.

[21] The flip unit 40 of Figures 5(b) and 6(b) includes a frame 42 for mounting on the telephone body 20 of Figure 4. The flip unit 40 also includes a flip type cover 44 hingedly connected to the frame 42 for exposing the button portion 22 by means of the flip cover 44 pivoting on the frame 42. In use, the user accesses the button portion 22 of the telephone body 20 by pivoting the flip type cover 44 upward to expose the button portion 22.

[22] The sliding unit 50 of Figures 5(c) and 6(c) includes a frame 52 for mounting on the telephone body 20. The sliding unit 50 also includes a sliding lid type cover 54 slidably connected to the frame 52 for exposing the button portion 22 by means of a sliding operation thereof. In use, the user accesses the button portion 22 by downwardly sliding the sliding lid type cover 54 to expose the button portion 22.

[23] Each of the frames 32, 42, 52 of the corresponding units 30, 40, 50 of Figures 6(a), 6(b) and 6(c), respectively, are kept securely mounted to the telephone body 20 by catching projections 321, 421 and 521 shown in Figures 5(a), 5(b) and 5(c), respectively.





telephone by mounting one of the units 30, 40, 50 on the telephone body 20 according to the user's preference. Furthermore, since the design of the mobile telephone is alterable at the user's will, the user does not easily get bored with his/her mobile telephone.

[26] As described above, according to a preferred embodiment of the invention, the manner of protecting or covering and exposing the button portion of a mobile telephone can be variably changed because the user can alter the mobile telephone into a bar type cover, a flip type cover, or a sliding lid type cover, or the like in accordance with the user's need or taste. By an interchangeable button cover, the user does not easily get bored with the mobile telephone.

[27] The foregoing embodiments and advantages are merely exemplary and are not to be construed as limiting the present invention. The present teaching can be readily applied to other types of apparatuses. The description of the present invention is intended to be illustrative, and not to limit the scope of the claims. Many alternatives, modifications, and variations will be apparent to those skilled in the art. In the claims, means-plus-function clauses are intended to cover the structures described herein as performing the recited function and not only structural equivalents but also equivalent structures.